

3. Dimensions

[SJ Chassis] ARNU05GSJ*4 / ARNU07GSJ*4 / ARNU09GSJ*4 / ARNU12GSJ*4 ARNU15GSJ*4

[Unit: mm]

3D VIEW

Front view dimensions: (150) Air intake hole, (767) Air intake hole, Rear, Right, Left, Rear.

Side view dimensions: 56, 51, 189, Air intake, Air outlet, 36, 618, (715) Air outlet hole, Bottom, A, B.

Top view dimensions: 837, 306, 93, 263, 63, 94, 142, 88, 152, 199, 134, 194, 308, 263, 63, ∅85 (Right), ∅85 (Left), Unit Outline.

Fixing the installation plate, drilling hole

Approx. 475 to gas pipe
Approx. 365 to liquid pipe
Approx. 310 to drain hose

In case of left side piping

Unit Outline

Connecting gas/liquid pipe, drain hose

Approx. 475 to gas pipe
Approx. 365 to liquid pipe
Approx. 310 to drain hose

Unit Outline

No.	Part Name	Description
6	Decoration Cover	-
5	Display & Remote Controller Signal Receiver	-
4	Terminal Block for Power Supply Communication	-
3	Drain hose connection	-
2	Installation Plate	-
1	Refrigerant/Drain pipe and cable routing hole	Knock-out type

Note

- Unit should be installed in compliance with the installation manual in the product box.
- Unit should be grounded in accordance with the local regulations or applicable national codes.
- All electrical components and materials to be supplied from the site must comply with the local regulations or international codes.
- Electrical characteristics chapter should be considered for electrical work and design. Especially the power cable and circuit breaker should be selected in accordance with that.

Symbols

Piping Direction

Return line

* ARNU-N4 models may look different depending on the time of production.